



OBAC

Ośrodek Badań, Atestacji i Certyfikacji Sp. z o.o.
44-121 Gliwice, ul. Łabędzka 21

(1) TYPE EXAMINATION CERTIFICATE

(2) Equipment, components and protective systems intended for use in potentially explosive atmospheres.
Directive 2014/34/EU of the European Parliament and of the Council of 26 February 2014.

(3) Type examination certificate No: **OBAC 19 ATEX 0321X, Issue 2**

(4) Product: **Radial fans type: ELF-...-... 2G...**

(5) Manufacturer **Venture Industries Sp. z o.o.**

(6) Address: **ul. Mokra 27, 05-092 Łomianki-Kiełpin**

(7) This equipment, product or protective system and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

(8) Ośrodek Badań, Atestacji i Certyfikacji OBAC Sp. z o.o. (The Institute for Research and Certification „OBAC” Sp. z o.o.) certifies that this equipment, component or protective system has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment, component or protective systems intended for use in potentially explosive atmospheres given in Annex II to the European Council Directive 2014/34/EU. The examination and test results and the list of agreed technical documentation are recorded in the confidential Report no. OBAC/24/ATEX/0553.

(9) Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

PN-EN ISO 80079-36:2016-07
(EN ISO 80079-36:2016)

PN-EN ISO 80079-37:2016-07
(EN ISO 80079-37:2016)

PN-EN 14986:2024-09
(EN 14986:2024)

(10) If the sign „X” is placed after the certificate number, it indicates that the product concerned is subject to specific conditions of use specified in the schedule to this certificate.

(11) This certificate is valid from **18.12.2024** until **17.12.2029** and relates only to the design, assessment and tests of the specified equipment according to the Directive 2014/34/EU. The certificate does not apply to further requirements of the Directive relating to the manufacturing and placing on the market of this equipment.

(12) The marking of the equipment, component or protective system must include the following:

 **II 2G Ex h IIB T3 Gb**

 **II 2G Ex h IIB T4 Gb**



Head of Certification Body

Piotr Tarnawski M. Com.

Gliwice, 18 December 2024.



OBAC

Ośrodek Badań, Atestacji i Certyfikacji Sp. z o.o. 44-121 Gliwice, ul. Łabędzka 21

(13)

SCHEDULE

(14)

to the Type Examination Certificate
No. OBAC 19 ATEX 0321X, Issue 2

(15) Ex Product description:

Radial fans type ELF are driven directly by a motor installed to the fan structure, located outside of the pressure area, with direct cooling on the motor shaft. The device constitutes a set of mechanical and electrical components with Ex designation. Depending on the model, the rotational speed of the fan is adjusted by changing the supply frequency.

The fans may use motors with temperature class adapted to the temperature class of the fan and with current certificates confirming the marking of the device of explosion-proof construction:

Ex marking of the fan	Ex marking of an electric motor
⊕ II 2G Ex h IIB T3 Gb	⊕ II 2G Ex eb IIB/IIC T6...T3 Gb
	⊕ II 2G Ex db IIB/IIC T6...T3 Gb
	⊕ II 2G Ex db eb IIB/IIC T6...T3 Gb
⊕ II 2G Ex h IIB T4 Gb	⊕ II 2G Ex eb IIB/IIC T6...T4 Gb
	⊕ II 2G Ex db IIB/IIC T6...T4 Gb
	⊕ II 2G Ex db eb IIB/IIC T6...T4 Gb

Marking:

ELF - a - b - cd e x y z VFD AP w

ELF - fan type

a - number of motor poles / rotation speed

2 – 3000 rpm

4 – 1500 rpm

6 – 1000 rpm

b - fan size – nominal diameter of the rotor

c - motor power ($P [W] / 10$)

d - number of phases (T - three-phase, S - single-phase) **w** - motor efficiency class

e - ATEX category of the fan (2G)

x - outlet position (LG... , RD...)

y - fan voltage (up to 690V)

z - fan frequency (50Hz, 60Hz)


VFD - speed regulation with the inverter

AP - stainless steel rotor and housing

SSI - stainless steel rotor

Rated data:

The rating data of the fans are presented in the manufacturer's documentation listed in the confidential assessment report no. OBAC/24/ATEX/0553.





OBAC

Ośrodek Badań, Atestacji i Certyfikacji Sp. z o.o.
44-121 Gliwice, ul. Łabędzka 21

(13)

SCHEDULE

(14)

**to the Type Examination Certificate
No. OBAC 19 ATEX 0321X, Issue 2**

(16) Report:

No. OBAC/24/ATEX/0553.

(17) Specific conditions of use:

- The fan structure in the installation point should be grounded in order to dissipate electrostatic charges.
- Electric motors of the fan should be protected from short-circuits and overloads in accordance with the requirements of the standard PN-EN 60204-1.
- The permissible ambient temperature range of the unit is from -50°C to +80°C or narrower according to the nameplate of the fan and electric motor, and the temperature of the medium at the fan inlet is from -20°C to +60°C.

(18) Essential health and safety requirements:

Met by compliance with the requirements mentioned in item 9.

(19) Certification history:

OBAC 19 ATEX 0321X, dated 18 December 2019.	Type examination certificate
Schedule no. 1 to the certificate no. OBAC 19 ATEX 0321X, dated 23 January 2024.	Extension of the number of motor types used in fans
OBAC 19 ATEX 0321X, Issue 2 dated 18 December 2024.	Update documentation and adapt to current standards.





OBAC

Ośrodek Badań, Atestacji i Certyfikacji Sp. z o.o.
44-121 Gliwice, ul. Łabędzka 21

(2)

Schedule No. 1

to

the certificate No. OBAC 19 ATEX 0321X, Issue 2

(2) Equipment, components and protective systems intended for use in potentially explosive atmospheres. Directive 2014/34/EU of the European Parliament and of the Council of 26 February 2014.

(3) Product: **Radial fans type ELF-....-... 2G...**

(4) Manufacturer: **Venture Industries Sp. z o.o.**

(5) Address: **ul. Mokra 27, 05-092 Łomianki-Kiełpin**

(6) Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

PN-EN ISO 80079-36:2016-07
(EN ISO 80079-36:2016)

PN-EN ISO 80079-37:2016-07
(EN ISO 80079-37:2016)

PN-EN 14986:2024-09
(EN 14986:2024)

(7) Description of changes:

The installation criteria for the equipment have been verified, and hazards preventing the installation of ELF series fans outdoors have been excluded, provided that protection against atmospheric discharges is ensured by the user. The introduced modifications, confirmed by documentation effective from 29 January 2026, do not affect the level of safety related to ignition hazard.

Rated data:

The rating data of the fans are presented in the manufacturer's documentation listed in the confidential assessment report no. OBAC/26/ATEX/0070.

(8) Results of the tests carried out:

Explosion proof design is confirmed in the confidential product assessment report:
OBAC/26/ATEX/0070.

The introduced changes meet the requirements for equipment of group II category 2G.

The explosion-proof product marking, depending on the applied electric motor and the explosive gas atmosphere, may be as follows:

II 2G Ex h IIB T3 Gb

II 2G Ex h IIB T4 Gb



Head of Certification Body

Piotr Tarnawski M. Com.

Gliwice, 25 February 2026.



OBAC

Ośrodek Badań, Atestacji i Certyfikacji Sp. z o.o.
44-121 Gliwice, ul. Łabędzka 21

(1) **Schedule No. 1**
to
the certificate No. OBAC 19 ATEX 0321X, Issue 2

- (2) Specific conditions of use:
– No change compared to certificate no. OBAC 19 ATEX 0321X, Issue 2.
- (3) Technical documentation:
The technical documentation is specified in the confidential report no: OBAC/26/ATEX/0070.

This Annex to the Certificate is applicable in the period from **25.02.2026** until **17.12.2029** and concerns solely the specimen of the product having identical characteristics (parameters) to the specimen supplied for the assessment and compliant with the requirements specified in item 6 hereof.

